

BEST 130



Technical Drawing





0	
Description	1-bowl sink
Model	BEST 130
Base *(mm)*	800
0	Inset
Dimensions *(mm)*	790 x 510
Hole for built-in installation *(mm)*	770 x 480
Number of Bowls	1
Bowl Depth *(mm)*	200

0	
Gross Weight *(kg)*	18,85
Net Weight *(kg)*	13,00
Packaging Dimension *(kg)*	870 x 575 x 300
0 *(kg)*	0,150

0	
Packaging	Cardboard and polyethylene
0	Space-saving siphon, integrated Flow Pro, rectangular overflow and hooks.

KERATEK® PLUS
CERAMIC NANOTECHNOLOGY CN6



LKB13086 K86
8032557027140



LKB13093 K93
8032557027157



LKB13095 K95
8032557027164



LKB13096 K96
8032557027171



LKB13097 K97
8032557027188



LKB13099 K99
8032557027195

GRANITEK®
NATURAL GRANITE EFFECT

METAL



LMB13073 M73
8031873117450



LMB13079 M79
8031873117474

GRANITEK®
NATURAL GRANITE EFFECT

MATT



LGB13040 G40
8031873069278



LGB13043 G43
8031873069285



LGB13048 G48
8031873069292



LGB13068 G68
8031873069339



LGB13078 G78
8032557066873

GRANITEK®
NATURAL GRANITE EFFECT

CLASSIC



LGB13051 G51
8031873069308





LGB13059 G59
8031873069315





LGB13062 G62
8031873069322


elleci®
COMPANY











BEST 130

general tolerances where not expressly communicated ±0.2%
connection dimensions according to UNI EN 695