


BEST 400



Technical Drawing







0	
Description	1-bowl sink with drainer
Model	BEST 400
Base *(mm)*	450
0	Inset
Dimensions *(mm)*	860 x 510
Hole for built-in installation *(mm)*	840 x 480
Number of Bowls	1
Bowl Depth *(mm)*	200

0	
Gross Weight *(kg)*	17,05
Net Weight *(kg)*	11,20
Packaging Dimension *(kg)*	940 x 575 x 300
0 *(kg)*	0,162

0	
Packaging	Cardboard and polyethylene
0	Space-saving siphon, integrated Flow Pro, rectangular overflow and hooks.

KERATEK® PLUS
CERAMIC NANOTECHNOLOGY CN6



LKB40086 K86
8031873020057



LKB40093 K93
8031873026479



LKB40095 K95
8031873026486



LKB40096 K96
8031873020064



LKB40097 K97
8031873026493



LKB40099 K99
8031873026509

GRANITEK®
NATURAL GRANITE EFFECT

METAL



LMB40073 M73
8032861953708



LMB40079 M79
8032861953715

GRANITEK®
NATURAL GRANITE EFFECT

MATT



LGB40040 G40
8032861047896



LGB40043 G43
8032861040897



LGB40048 G48
8032557030553



LGB40068 G68
8032861040873



LGB40078 G78
8032557066910

GRANITEK®
NATURAL GRANITE EFFECT

CLASSIC



LGB40051 G51
8032861040750





LGB40059 G59
8032861047889



LGB40062 G62
8032861040743

elleci® COMPANY





BEST 400

general tolerances where not expressly communicated ±0.2%
connection dimensions according to UNI EN 695